

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION

CONTENTS: VOLUME 77

Number 1, pp. 1-286, February 1997

	PAGE
The Biology of Crustacea: introduction and dedication	1
Environmental tolerances of three species of the harpacticoid copepod genus <i>Tigriopus</i> . Davenport, J., Barnett, P.R.O. and McAllen, R.J.	3
Coupling of environmental and endogenous factors in the control of rhythmic behaviour in decapod crustaceans. Aréchiga, H. and Rodríguez-Sosa, L.	17
Influence of food and predatory attack on mysid swarm dynamics. Ritz, D.A., Osborn, J.E. and Ocken, A.E.J.	31
Fiddler crabs use the visual horizon to distinguish predators from conspecifics: a review of the evidence. Layne, J., Land, M. and Zeil, J.	43
Ecology and taxonomy of the genus <i>Eurydice</i> (Isopoda: Cirolanidae) from sand beaches on the Iberian Peninsula. Jones, D.A. and Pierpoint, C.J.	55
Interspecific comparisons of genetic population structure in members of the <i>Jaera albifrons</i> species complex. Carvalho, G.R. and Pierney, S.B.	77
Molecular regulation of muscle growth in Crustacea. El Haj, A.J. and Whiteley, N.M.	95
Crustacean models for studying calcium transport: the journey from whole organisms to molecular mechanisms. Wheatly, M.G.	107
Sulphide metabolism in thalassinidean Crustacea. Johns, A.R., Taylor, A.C., Atkinson, R.J.A. and Grieshaber, M.K.	127
Haemocyanin oxygen transport in <i>Ocypode</i> spp.: modulation of oxygen affinity? Bridges, C.R., Hupperts, V., Eshky, A.A. and Taylor, A.C.	145
Digestive protease activity in planktonic crustaceans feeding at different trophic levels. Kumlu, M. and Jones, D.A.	159
Spatial, temporal and tidal variation in crab populations in the Forth Estuary, Scotland. Mathieson, S. and Berry, A.J.	167
Comparisons of social structure of Columbus crabs living on loggerhead sea turtles and inanimate flotsam. Dellinger, T., Davenport, J. and Wirtz, P.	185
Trace metal accumulation in marine invertebrates: marine biology or marine chemistry? Rainbow, P.S.	195
Observations on the feeding ecology of estuarine nematodes. Moens, T. and Vincx, M.	211
Reproductive patterns and tidal effects on spat settlement of <i>Mytilus edulis</i> populations in Dundrum Bay, Northern Ireland. Snodden, L.M. and Roberts, D.	229
<i>Actinothoe sphyrodeta</i> (Cnidaria, Actiniaria): the first records from Portugal and the Mediterranean Sea. Williams, R.B.	245
Dry weight, carbon and nitrogen content of some calanoid copepods from the seas around southern Britain in winter. Lindley, J.A., John, A.W.G. and Robins, D.B.	249
On the density of certain Amphipoda and Isopoda. Moore, P.G., Davenport, J. and Middleton, N.E.	253
Egg production and viability in <i>Centropages typicus</i> : a laboratory study on the effect of food concentration. Guerrero, F., Nival, S. and Nival, P.	257

Phorbol ester-induced metamorphosis in the parasitic barnacle, <i>Loxothylacus panopaei</i> . Glennner, H. and Brodin, B.	261
Cyst membrane protein composition as a discriminant character in the genus <i>Artemia</i> . (International study on <i>Artemia</i> L.V). Abatzopoulos, T.J., Triantaphyllidis, G.V., Beardmore, J.A. and Sorgeloos, P.	265
Ferritin crystals in the gut caeca of a deep-sea hydrothermal vent stegocephalid (Crustacea: Amphipoda). Moore, P.G. and Rainbow, P.S.	296
Activity rhythms of the squat lobsters, <i>Galathea squamifera</i> and <i>G. strigosa</i> (Crustacea: Decapoda: Anomura) in south-west Ireland. De Grave, S. and Turner, J.R.	273
Circatidal moulting rhythm in the shore crab <i>Carcinus maenas</i> . Abello, P., Warman, C.G. and Naylor, E.	277
Modulations in cell-mediated immunity of <i>Mytilus edulis</i> following the 'Sea Empress' oil spill. Dyrinda, E.A., Law, R.J., Dyrinda, P.E.J., Kelly, C.A., Pipe, R.K., Graham, K.L. and Ratcliffe, N.A.	281
Book Notices	285

Number 2, pp. 287-572, May 1997

Long-term changes of four macrobenthic assemblages from 1978 to 1992. Fromentin, J.M., Ibanez, F., Dauvin, J.C., Dewarumez, J.M. and Elkaim, B.	287
Macrobenthic biodiversity in intertidal habitats of the Iroise Biosphere Reserve (Brittany, France). Hily, C. and Jean, F.	311
The effects of colonization by <i>Sargassum muticum</i> on tidepool macroalgal assemblages. Viejo, R.M.	325
Vertical distribution and abundance of pelagic cnidarians in the eastern Weddell Sea, Antarctica. Pugh, P.R., Pages, F. and Boorman, B.	341
The deep-sea anemones <i>Bathypheilia margaritacea</i> and <i>Daontesia porcupina</i> sp. nov. with comments on the family Bathypheiliidae. Riemann-Zürneck, K.	361
A description of the skeletal development pattern of the temperate coral <i>Caryophyllia</i> <i>smithi</i> based on internal growth lines. Nagelkerken, I., Velde, G. van der and Avesaath, P.H. van	375
Distribution of two species of lugworm (<i>Arenicola</i>) (Annelida: Polychaeta) in South Wales. Cadman, P.S.	389
An Antarctic shelf population of the deep-sea, Pacific brachiopod <i>Neorhynchia strebeli</i> . Barnes, D.K.A. and Peck, L.S.	399
The effects of burrowing by the amphipod <i>Corophium volutator</i> on the ecology of intertidal sediments. Limia, J. and Raffaelli, D.	409
A new family for a deep-sea caridean shrimp from North Atlantic hydrothermal vents. Vereshchaka, A.L.	425
Differentiation of physiological aspects of the burrowing shrimp <i>Callinassa tyrrhena</i> in relation to general pollution load. Thessalou-Legaki, M., Kerambrun, P. and Verriopoulos, G.	439
Rhythms of larval release in the shore crab <i>Carcinus maenas</i> (Decapoda: Brachyura). Zeng, C. and Naylor, E.	451
Diversity of marine Bivalvia in Greek waters: effects of geography and environment. Zenetos, A.	463
Fatty acid characteristics in two symbiont-bearing mussels from deep-sea hydrothermal vents of the south-western Pacific. Pranal, V., Fiala-Medioni, A. and Guezennec, J.	473
Vertical distribution and feeding of <i>Thalia democratica</i> on the Agulhas Bank during March 1994. Gibbons, M.J.	493

Seasonal, annual and regional variations in ichthyofaunal composition in the inner Severn Estuary and inner Bristol Channel. Potter, I.C., Claridge, P.N., Hyndes, G.A. and Clarke, K.R.	507
Trophic relationships between two gurnards <i>Trigla lucerna</i> and <i>Aspitrigla obscura</i> from the western Mediterranean. Morte, M.S., Redon, M.J. and Sanz-Brau, A.	527
Diet of harbour seals at Mousa, Shetland, during the third quarter of 1994. Brown, E.G. and Pierce, G.J.	539
<i>Histiobdella homari</i> on <i>Nephrops norvegicus</i> from the Irish Sea and Clyde Sea area. Briggs, R.P., Atkinson, R.J.A., McAliskey, M. and Rogerson, A.	557
New records of cephalopods caught in Irish and Scottish waters. Collins, M.A., Lordan, C., Flannery, K., Quigley, D.T.G. and Howard, F.G.	561
Quantification of bioerosion by <i>Sphaerechinus granularis</i> on 'coralligène' concretions of the western Mediterranean. Sartoretto, S. and Francour, P.	565
Book Notices	569

Number 3, pp. 573–920, August 1997

The eastern subtropical gyre (North Atlantic): flow rings recirculations structure and subduction. Pingree, R.D.	573
Is phosphate part of the Russell Cycle? Joint, I., Jordan, M.B. and Carr, M.R.	625
A towed video survey of megafaunal bioturbation in the north-eastern Irish Sea. Hughes, D.J. and Atkinson, R.J.A.	635
Redescription of the North Atlantic and Mediterranean species of <i>Natatolana</i> (Crustacea: Isopoda: Cirolanidae). Keable, S.J. and Bruce, N.L.	655
Retinal anatomy of new bresiliid shrimp from the Lucky Strike and Broken Spur hydrothermal vent fields on the Mid-Atlantic Ridge. Kuenzler, R.O., Kwasniewski, J.T., Jinks, R.N., Lakin, R.C., Battelle, B.A., Herzog, E.D., Kass, L., Renninger, G.H. and Chamberlain, S.C.	707
Allozymic characterization of Scottish and Aegean populations of <i>Nephrops norvegicus</i> . Passamonti, M., Mantovani, B., Scali, V. and Froggia, C.	727
Behavioural responses of hermit crabs to shell cues, predator haemolymph and body odour. Rittschof, D. and Hazlett, B.A.	737
Behaviour and feeding of the nassariid gastropod <i>Cyclope neritea</i> , abundant at hydrothermal brine seeps off Milos (Aegean Sea). Southward, A.J., Southward, E.C., Dando, P.R., Hughes, J.A., Kennicutt II, M.C., Alcalá-Herrera, J. and Leahy, Y.	753
Allozyme evidence for cryptic speciation in sympatric populations of <i>Nassarius</i> spp. (Mollusca: Gastropoda). Sanjuan, A., Pérez-Losada, M. and Rolán, E.	773
Field evidence of trematode-induced gigantism in <i>Hydrobia</i> spp. (Gastropoda: Prosobranchia). Gorbushin, A.M.	785
A long-term growth record derived from <i>Arctica islandica</i> (Mollusca, Bivalvia) from the Fladen Ground (northern North Sea). Witbaard, R., Duineveld, G.C.A. and Wilde, P.A.W.J. de	801
Seasonal variation in physiological energetics of <i>Mytilus edulis</i> and <i>Cerastoderma edule</i> of different size classes. Smaal, A.C., Vonck, A.P.M.A. and Bakker, M.	817
Ecology of the oceanic squid <i>Onychoteuthis banksi</i> and the relationship between the genera <i>Onychoteuthis</i> and <i>Chaunoteuthis</i> (Cephalopoda: Onychoteuthidae). Arkhipkin, A.I. and Nigmatullin, C.M.	839
Selective tidal stream transport by American eels during homing movements and estuarine migration. Parker, S.J. and McCleave, J.D.	871
Relative importance of cleaning behaviour in <i>Centrolabrus exoletus</i> and other wrasse at Arrábida, Portugal. Henriques, M. and Almada, V.C.	891

Hatching nauplii of planktonic calanoid copepods from intertidal estuarine sediments. George, C.L. and Lindley, J.A.	899
Analysis of oocyte development and potential fecundity of the squid <i>Loligo vulgaris</i> from the waters of southern Portugal. Lopes, S.S., Coelho, M.L. and Andrade, J.P.	903
The contribution of Amphipoda to the diet of certain inshore fish species in Kames Bay, Millport. Beare, D.J. and Moore, P.G.	907
Occurrence of juvenile red mullet (<i>Mullus surmuletus</i>) on the west coast of Scotland. Gibson, R.N. and Robb, L.	911
Analysis of condition and swimming performance in juveniles of White Sea bream, <i>Diplodus vulgaris</i> . Planes, S., Hertel, O. and Jouvenel, J.-Y.	913
Book Notices	917

Number 4, pp. 921–1266, November 1997

A note on seabed irradiance in shallow tidal seas. Bowers, D.G., Tett, P. and Walne, A.W.	921
Choanoflagellates in Southampton Water, including the description of three new species. Tong, S.M.	929
Geotaxis and phototaxis in <i>Elphidium crispum</i> (Protozoa: Foraminiferida). Manley, C.J. and Shaw, S.R.	959
The crystallography and possible origin of barium sulphate in deep sea rhizopod protists (Xenophyophorea). Hopwood, J.D., Mann, S. and Gooday, A.J.	969
Consumption rates of six species of marine benthic naked amoebae (<i>Gymnamoebia</i>) from sediments in the Clyde Sea area. Butler, H. and Rogerson, A.	989
Vertical distribution, morphology and diet of <i>Proboscoidactyla stellata</i> (Cnidaria: Limnomedusae) in Lough Hyne marine nature reserve, Co. Cork, Ireland. Ballard, L. and Myers, A.	999
A hemisessile sea anemone from the Porcupine Abyssal Plain, North Atlantic ocean: <i>osactis vagabunda</i> gen. nov., sp. nov. Riemann-Zürneck, K.	1011
Dynamics of egg production in Mediterranean populations of the terebellid polychaete <i>Eupolyornia nebulosa</i> . Nozais, C., Martin, D., Cha, J.-H., Duchêne, J.C., Charles, F. and Grémare, A.	1027
Variation in genome size in benthic polychaetes: systematic and ecological relationships. Gambi, M.C., Ramella, L., Sella, G., Protto, P. and Aldieri, E.	1045
Reproductive biology of an epibenthic amphipod (<i>Dyopede monacanthus</i>) with extended parental care. Thiel, M.	1059
Water pumping in the penduculate barnacle <i>Conchoderma auritum</i> . Achituv, Y. and Yamaguchi, T.	1073
Microbial flora associated with the digestive system of <i>Upogebia stellata</i> (Crustacea: Decapoda: Thalassinidea). Pinn, E.H., Rogerson, A. and Atkinson, R.J.A.	1083
Morphology of the eye of the hydrothermal vent shrimp, <i>Alvinocaris markensis</i> . Wharton, D.N., Jinks, R.N., Herzog, E.D., Battelle, B.-A., Kass, L., Renninger, G.H. and Chamberlain, S.C.	1097
Redescription of the southern dumpling squid <i>Euprymna tasmanica</i> and a revision of the genus <i>Euprymna</i> (Cephalopoda: Sepiolidae). Norman, M.D. and Lu, C.C.	1109
Genetic divergence between South African <i>Helcion</i> species and north-east Atlantic <i>H. pellucidum</i> (Mollusca: Patellogastropoda). Weber, L.I., Gray, D.R., Hodgson, A.N. and Hawkins, S.J.	1139
The extent and temporal variation of disturbance to epibenthic communities in Strangford Lough, Northern Ireland. Service, M. and Magorrian, B.H.	1151
Spatio-temporal persistence of the <i>Abra alba</i> – <i>Pectinaria koreni</i> muddy-fine sand community of the eastern Bay of Seine. Thiébaud, E., Cabioch, L., Dauvin, J.-C., Retière, C. and Gentil, F.	1165

Adenylate energy charge and metallothionein as stress indices in <i>Mytilus galloprovincialis</i> exposed to cadmium and anoxia. Isani, G., Serra, R., Cattani, O., Cortesi, P. and Carpena, E.	1187
Age and growth of the sea urchin <i>Sphaerechinus granularis</i> in southern Brittany. Jordana, E., Guillou, M. and Lumingas, L.J.L.	1199
Intraspecific variations of bioluminescence in a polychromatic population of <i>Amphipholis squamata</i> (Echinodermata: Ophiuroidea). Deheyn, D., Mallefet, J. and Jangoux, M.	1213
Mating in <i>Myodocopina</i> (Crustacea: Ostracoda): results from video recordings of a highly iridescent cypridinid. Parker, A.R.	1223
The occurrence of <i>Pontonia pinnophylax</i> (Decapoda: Natantia: Pontoniinae) in <i>Pinna nobilis</i> (Mollusca: Bivalvia: Pinnidae) from the Mediterranean. Richardson, C.A., Kennedy, H., Duarte, C.M. and Proud, S.V.	1227
The ligament of <i>Mya arenaria</i> (Myoidea) revisited. Checa, A.G. and Cadée, G.C.	1231
Beak length analysis of <i>Moroteuthis ingens</i> (Cephalopoda: Onychoteuthidae) from the Falkland Islands region of the Patagonian shelf. Jackson, G.D., Buxton, N.G. and George, M.J.A.	1235
Anomalies in Sepiolinae hectocotylization. Jereb, P., Stefano, M. di and Mazzola, A.	1239
Chromatophores and body patterning in the squid <i>Alloteuthis subulata</i> . Cornwell, C.J., Messenger, J.B. and Hanlon, R.T.	1243
A 'hyaline' layer in the skin of squids. Madan, J.J. and Wells, M.J.	1247
Measurement of the adhesion of the podia in the asteroid <i>Asterias rubens</i> (Echinodermata). Flammang, P. and Walker, G.	1251
Cephalopod species in the diet of a sperm whale (<i>Physeter catodon</i>) stranded at Penzance, Cornwall. Clarke, M.R. and Pascoe, P.L.	1255
<i>Ovulinata</i> nom. nov., a replacement name for <i>Ovulina</i> Anderson, Rogerson & Hannah, 1996 (Protista: Filosea). Anderson, O.R., Rogerson, A. and Hannah, F.	1259
Obituary - J.Z. Young	1261
Announcement	1263
Book Notices	1265
Index	(i)